[illegible]	Reference [illegible]	Room [illegible]	[illegible]	Existing [illegible]	New Hardware Needed	Status Indication Needed	Notes
CRT	1	D/C	Primary Data Center Entrance	No	Yes	Yes	Dual authentication and status
CRT	2	IS	Information Services Employee Entrance	No	Yes	No	
CRT	3	West Ramp	West ramp entrance	Yes	No	Yes	ADA entry required
CRT	4	East Ramp	East ramp entrance to alley	Yes	No	Yes	
CRT	5	C017	Maintenance Door 3	Yes	No	No	Maintenance entrance across from IS back
CRT	6		Maintenance Door 2	Yes	No	No	Maintenance entrance in hallway
CRT	7		Maintenance Door 1	Yes	No	No	Maintenance entrance by stairwell
CRT	8	East Exit	East 1st floor - 2 doors	No	Yes	Yes	Status Only
CRT	9	West Exit	Two doors, only one needs reader for entry	No	Yes	Yes	Krist Oil Side - reader on one door only
CRT	10	C112	LIO Back door	Yes	No	No	
CRT	11	Front - Main	Two doors, no entry needed - status only	No	Yes	Yes	Outside doors only - Status only
CRT	12	C116	LIO middle door	Yes	No	No	
CRT	13	LIO Conf.	Conference room	Yes	No	No	
CRT	14	C210	Probate	No	Yes	Yes	Replace door locks - Reception Release
CRT	15	C214	Child Support	Yes	No	No	Reception Release
CRT	16	C205	Clerk of Courts	Yes	No	No	Reception Release
CRT	17	C304	Extension Conference	Yes	No	No	
CRT	18	C314	MCABI	Yes	No	No	

[illegible]	Drawing Number	Room Number	Description	Existing Hardware?	New Hardware Req'd	Status Indication Req'd	Notes
Annex	1	Courtyard	2 doors, exits into alley area	Yes	No	Yes	Reader on one door only
Annex	2	Mech. Room	Mechanical room	Yes	No	No	
Annex	3	A027	Jury Assembly	Yes	No	No	
Annex	4	East Entry	Double doors	Yes	No	Yes	ADA entry
Annex	5	HR Vestibule	Leads into Human Resources	Yes	No	No	
Annex	6	A126	County Clerk	Yes	No	No	Reception Release
Annex	7	A127	Administration employee Entrance	Yes	No	No	
Annex	8	A237	Court Administration	Yes	No	No	Reception Release
Annex	9	A207	Family Court - Judge	Yes	No	No	
Annex	10	A207	Family Court - Reporter	Yes	No	No	
Annex	11	A205	Branch 1 -Judge	Yes	No	No	
Annex	12	A205	Branch 1 - Reporter	Yes	No	No	
Annex	13	A206	Branch II - Judge	Yes	No	No	
Annex	14	A206	Branch II - Reporter	Yes	No	No	
Annex	15	Stairwell	Court stairwell - lower exit door	No	Yes	Yes	Door needs status only

Facility	Reader No.	Room Number	Description	Reader Required	New Hardware Req'd	Status Indication Req'd	Notes
HHSD	1	Main Entry	Double doors from parking lot	Yes	No	Yes	ADA Access Required
HHSD	2	West Entry	West employee door	Yes	No	Yes	
HHSD	3	South Emp.	South stairwell - between buildings	No	Yes	Yes	Status only - no entry reader required
HHSD	4	North Emp.	North entry across from above - bewteen bldg.	Yes	No	Yes	
HHSD	5	ADRC Main	Main ADRC Entrance - outside - double doors	Yes	No	Yes	ADA Access Required - Reader one door only
HHSD	6	ADRC Inter.	Interior ADRC main entrance - Reception Release	Yes	No	No	ADA Access Required - Reader one door only
HHSD	7	H111A	ADRC	Yes	No	No	Single side of doorway - fire release
HHSD	8	H125A	ADRC Exit	Yes	No	No	Single side of doorway - fire release
HHSD	9	WIC	Back stairway in basement	Yes	No	No	Between H021 and H025
HHSD	10	WIC	Exit to stairway	Yes	No	No	One way only
HHSD	11	Public Hlth	Entrance to office	Yes	No	No	
HHSD	12	Stairwell	Basement by AODA rooms	Yes	No	No	Stairwell entry - one way
HHSD	13	Stairwell	1st Floor - back from AODA rooms	Yes	No	No	
HHSD	14	IS Closet	Dual authentication	Yes	No	Yes	Status and dual authentication
HHSD	15	Reception	Door by receptionist	Yes	No	No	Has release at reception desk also
HHSD	16	Vestibule	Vestibule by main entry	Yes	No	No	
HHSD	17	Interior Ent.	Stairway just inside main entrance-basement	Yes	No	No	
HHSD	18	Employee	First floor stairwell off reception main entry	Yes	Yes	No	
HHSD	19	Employee	2nd floor stairwell off entry-across from ADAPT	Yes	Yes	No	
HHSD	20	ADAPT	Primary ADAPT reception door	Yes	No	No	
HHSD	21	ADAPT	Employee entry off of reception	Yes	No	No	
HHSD	22	ADAPT	2nd floor stairwell	Yes	No	No	Southwest stairwell
HHSD	23	ADRC	ADRC exit - middle door	Yes	No	No	Single side of doorway - fire release

[illegible]	Door No.	Room	Description	Existing Reader	New Reader Need	Status Monitor Relay	Need
LEC	1		Chief Deputy Exterior entrance	No	Yes	In Place	On outside door - needs status
LEC	2		Investigations outside Entrance/Exit	No	No	In Place	
LEC	3	A132 A	Evidence room outside double doors	No	Yes	In Place	Status only
LEC	4	Employee	Employee parking lot	Yes	No	In Place	Inside door only
LEC	**5**	**Chiller**	**Maintenance area - by chillers**	**Yes**	**No**	**In Place**	**NOTHING NEEDED AT THIS LOCATION**
LEC	6	A122A	Evidence garage	Yes	No	No	
LEC	7	A132C	Evidence room from garage	Yes	No	In Place	Two sided access needed - swipe both ways/Dual
LEC	8	A124A	Dispatch	Yes	No	No	
LEC	9	A126A	Data closet in dispatch	No	Yes	Yes	Dual authentication & Status
LEC	10	A129A	Detective hallway	Yes	No	No	
LEC	11	A130A	Evidence Processing	Yes	No	No	
LEC	12	A130B	Evidence room	Yes	No	In Place	Two sided access needed - swipe both ways
LEC	13	A173A	Data closet behind secretary	No	Yes	Yes	Dual authentication & Status
LEC	14	A119A	Main lobby into hallway by training room	Yes	No	Yes	Reception Release
LEC	15		Jail admin from lobby door	Yes	No	No	
LEC	16	B106A	Jail data closet	No	Yes	Yes	Dual authentication & Status
LEC	17		Admin exit by visitation	Yes	No	No	Entry from visitation side
LEC	18	B100B	Two sided entry/exit to jail area	Yes	No	No	To jail hallway entry
LEC	19	Visitation	Jail visitation hallway	Yes	No	Yes	Needs status
LEC	20	C109A	Nurses med room	Yes	No	Yes	Needs status
LEC	21	B133	File room	Yes	No	No	
LEC	22	B131	Jail Education Manager's office	No	Yes	No	